



|                 | Conditions            | Value      | Unit    |
|-----------------|-----------------------|------------|---------|
| $\mu_{i}$       | 25°c 100 kHz 0.1mT    | 2000+/-25% |         |
| В               | 25°c, 3000 A/m        | ≈ 500      | mT      |
|                 | 100°c, 3000 A/m       | ≈ 400      |         |
|                 | 100°c ,100 kHz, 100mT | ≈ 40       | kW/m³   |
| P <sub>cv</sub> | 100°c ,100 kHz, 200mT | ≈ 350      |         |
|                 | 100°c ,400 kHz, 50mT  | ≈ 150      |         |
| ρ               | 25°c Resistivity      | ≈ 5        | Ωm      |
| T <sub>c</sub>  |                       | ≥ 225      | Celsius |
| Density         |                       | ≈ 4850     | Kg/m³   |
|                 | As tested on T 29     | -19-15     |         |

## 300 kHz Power Material.


| Contents                                | Page |  |
|---|------|--|
| Specific Power Loss vs Temperature      | 2    |  |
| Specific Power Loss vs Flux Density     |      |  |
| Initial Permeability vs Temperature     |      |  |
| Complex Permeability vs Frequency       | 3    |  |
| B-H Loops                               | 4    |  |
| Permeability vs Magnetic Field Strength | 4    |  |
| <u>Contacts</u>                         | 5    |  |
| Quality                                 | 6    |  |
| About Us                                | 6    |  |
| <u>Disclaimer</u>                       | 6    |  |





















| CONTACT                           |
|-----------------------------------|
| Sales@tscinternational.com        |
| 39105 Magnetic Blvd               |
| Wadsworth, IL. 60083              |
| Tel: 847 249-4900                 |
| Fax: 847 249-4988                 |
| Website: www.tscinternational.com |
| Store: www.tscinternational.net   |

12/2/2022 5 <u>www.tscinternational.com</u>



## **History**

Ferrite International was established 1985 as a division of Tempel Steel Company and was purchased in 1990 by Tempel Smith.

## **Quality Policy**

To provide the highest value magnetic materials to our customers through a combination of exceptional quality, price, delivery and service.

Ferrite International is compliant to ISO 9000 1994.

International Environmental Regulatory Compliance

RoHS \* REACH \* ELV \* WEEE \* Halogen Free

Social Accountability Compliance

US Family and Medical Leave Act

US Fair Labor Standards Act

**US Environmental Protection Agency** 

US Occupational Safety and Health Administration

US Clean Air Act

**US Equal Employment Opportunity Commission** 

**US National Primary Drinking Water Regulation** 

**US Conflict Free Minerals** 

## Warranty / Disclaimer

"TSC International" expressly warrants to the "Buyer" for whom it manufactures, sells and delivers product made of magnetic materials will conform to specifications and drawings as published within the product catalog. Buyer specifications that have not been approved by the International Electronic Commission shall be considered as a custom product, and will be warranted by TSC International in a separate written agreement.

There are no other express or implied warranties which extend beyond the above-referenced warranty of conformance to the specifications and specifically. TSC International does not warrant that any product will be merchantable or fit for the particular purpose for which the purchaser, its successors, agents or affiliates, intends to use product. Before using these products, buyer agrees to determine suitability of the product for their intended use or application.

Buyer shall notify TSC International in writing (and reasonable detail) of any defect in any product within thirty (30) days after the delivery date thereof. If products do not conform to the specification and TSC determines to its satisfaction that the parts are defective, and the defect is not due to miss-use, accident or improper application, buyer's remedy shall be limited, at TSC international's sole discretion, to either (1)The return of such product in exchange for the return of, or credit for any payment received by TSC International relating thereto; (2) The replacement of such product; or (3) The repair of such product. TSC International shall pay reasonable shipping costs incurred in connection with the return, replacement or repair of any defective product. Solution to resolve defective product shall be within (60) days after written receipt of written notice from the buyer of such defect.

TSC International shall not be liable for any incidental or consequential loss, damage, or expense (including without limitation, economic loss or lost profits) of buyer for any defective product sold and delivered to the buyer regardless or whether such loss, damage or expense results from breach of contract or warranty or commission of tort (including, without limitation, strict liability or negligence).

These products are not designed for use in life support appliances, devices or systems where malfunction of these products can reasonably be expected to result in personal injury, Buyers that are using or selling these products for use in such applications do so at their own risk and agree to indemnify TSC International for any damages resulting from such application.

TSC International reserves the right to makes changes without notice in order to improve design and supply the best possible product.